

**SAFETY DATA SHEET (91/155/EC)**

Page 1/5

**RUST-ANODE**

First edition date: feb 03

Version: 2

**1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY**

Product name: **RUST-ANODE®**

Product code NR: 7185

Supplier:

**W. LIPPENS nv  
B-9000 GENT BELGIUM**

Emergency phone number (to be used by the practising doctor):

**B - Centre Antipoisons Phone: +32/( 0)70 / 245.245**

**UK - National Poisons Information Service Phone: +/ 44 / 191 22 5131**

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

Preparation name: **RUST-ANODE®**

**Component(s) contributing to the health hazard:**

**orange terpene**

CAS NR: 8028-48-6

Conc. (weight %): 3.00 - Symbol(s): Xn - R: 10-38-65

**Distillates (petroleum), hydrotreated middle; Gasoil - unspecified**

CAS NR: 64742-46-X

Conc. (weight %): 9.00 - Symbol(s): Xn - R: 65

**3. HAZARDS IDENTIFICATION**

Most important hazards:

Flammable. Irritating to skin.

Specific hazards: Repeated and prolonged exposure may cause skin irritation and dermatitis due to degreasing properties of the product.

**4. FIRST AID MEASURES**

General advice:

In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

For symptom description, see item 11.

Inhalation:

- Take victim to fresh air, in a quiet place, in an half laying position and if necessary take medical advice.

Skin contact:

- Take off immediately all contaminated clothing. Wash off with soap and plenty of water. If skin irritation persists, take medical advice.

## **SAFETY DATA SHEET (91/155/EC)**

Page 2/5

### **RUST-ANODE**

First edition date: feb 03

Version: 2

#### **Eye contact:**

- Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice.

#### **Ingestion:**

- Do not induce vomiting. Rinse mouth, do not drink anything, keep quiet, and go immediately to hospital or to a doctor.

## **5. FIRE-FIGHTING MEASURES**

#### **Suitable extinguishing media:**

dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>), sand, earth.

#### **Extinguishing media which must NOT be used for safety reasons:**

Do not use water jet.

#### **Specific method(s):**

Cool containers / tanks with spray water if possible.

#### **Specific fire hazard(s):**

In case of fire, product decomposes in:: carbon oxides (CO and CO<sub>2</sub>) and smokes.

Concerning product toxicity, see item 11 and about product stability and reactivity see item 10.

#### **Special protective equipment for fire-fighters:**

Use a self-contained breathing apparatus and also a protective suit.

## **6. ACCIDENTAL RELEASE MEASURES**

#### **Personal precaution(s):**

Evacuate personnel to a safe area. Remove all sources of ignition.

Ensure adequate ventilation. Concerning personal protective equipment to use, see item 8.

#### **Environmental precaution(s):**

Stop leak without risks if possible. Dike and contain spill.

Do not allow material to contaminate ground water system. Concerning disposal elimination after cleaning, see item 13.

#### **Method(s) for cleaning up:**

Soak up with absorbent material (for example sand, sawdust, neutral absorbent granule, silica gel).

Shovel into suitable and closed container for disposal. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations.

## **7. HANDLING AND STORAGE**

#### **Handling**

##### **- Precaution(s):**

Do not eat, drink and do not smoke in areas where product is used.

Avoid all eyes and skin contact and do not breathe vapour and mist. Wear personal protective equipment (see item 8).

##### **- Technical condition(s):**

Explosion-free electrical equipment and lighting with earth.

Do not use compressed air to fill, handle or work up. Avoid static electricity discharges.

##### **- Safe handling advice(s):**

Opened containers must be carefully closed and kept upright to avoid leakage.

#### **Storage**

##### **- Precaution(s):**

Keep container tightly closed and in a well-ventilated place.

## SAFETY DATA SHEET (91/155/EC)

Page 3/5

### RUST-ANODE

First edition date: feb 03

Version: 2

- Storage condition(s):

Keep container tightly closed and at a temperature not exceeding (°C): 35 °C

Keep away from sources of ignition - No smoking. Store in a well-ventilated place.

- Separation of incompatible product(s):

Keep away from: strong acids, strong bases and oxidising compounds.

Packaging / tank material:

stainless steel, mild steel.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measure(s):

Ensure adequate ventilation, especially in confined areas.

Control parameter(s):

- Exposure limit(s):

T.L.V.=

Personal protection equipment:

- Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment.( breathing apparatus with filter A )

- Hand protection:

Wear suitable gloves.

- Skin and body protection:

Wear suitable protective clothing

- Eye protection:

safety glasses or face shield

Hygiene measure(s):

Keep away from food, drink and animal feed. Keep away from food and drink.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state / form: liquid

Colour: grey

Odour: characteristic

pH: Not applicable.

Boiling point/range: Not determined.

Flash point: Flash point between 21-55°C

Auto-ignition temperature: > 250°C

Explosion limits: No data available.

Relative density (water = 1): +- 3.15 g/cm<sup>3</sup>

Viscosity: Not determined.

Water solubility: insoluble

Fat solubility: Not applicable.

Solvent solubility: soluble in most organic solvents

Other data:

VOC :300 g/L

## 10. STABILITY AND REACTIVITY

Stability:

Stable in use and storage conditions as recommended in item 7.

Condition(s) to avoid:

Do not expose at temperatures above 35 °C

## SAFETY DATA SHEET (91/155/EC)

Page 4/5

### RUST-ANODE

First edition date: feb 03

Version: 2

#### Material(s) to avoid:

Avoid certain plastics which are soluble in product.

Reacts violently with: strong acids, strong bases and oxidising compounds.

#### Hazardous decomposition products:

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

### 11. TOXICOLOGICAL INFORMATION

#### General information(s):

Periodical medical test is recommended in function of exposition measure.

#### Acute toxicity

##### - Inhalation:

Irritating to the respiratory system, may cause throat pain and cough.

##### - Skin contact:

Intensive skin contact, may cause skin problems (contact dermatitis).

##### - Eyes contact:

mild eye irritation ( pain, redness )

##### - Ingestion:

May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### Sensitisation:

May cause sensitisation by inhalation.

#### Chronic toxicity:

Did not show carcinogenic, teratogenic or mutagenic effects in animal experiments.

#### Specific effect(s):

Use of alcoholic beverages may enhance toxic effects.

### 12. ECOLOGICAL INFORMATION

#### General information(s):

There is no data available on the product itself.

#### Persistence and degradability:

Product has only a limited biodegradability in soil and water.

#### Environmental toxicity:

Product may not flow into sewer or superficial water.

### 13. DISPOSAL CONSIDERATIONS

**Waste / unused products:** Collect all waste in suitable and labelled containers and dispose according to local legislation.

**Contaminated packaging:** Do not burn, or use a cutting torch on the empty drum. Offer rinsed packaging material to local recycling facilities.

### 14. TRANSPORT INFORMATION

General information(s): Transport followed ADR, IMDG, IATA

UN No. 1263

Land (Road / Railway: ADR/RID) - class: 3

## SAFETY DATA SHEET (91/155/EC)

Page 5/5

### RUST-ANODE

First edition date: feb 03

Version: 2

- item and letter: 3 III
- TREM-CARD code: klas 3
  - ADR/RID-Labels: N° 3

#### Sea (IMDG) - IMO class: 3

- proper shipping name: verven/ peintur es/pain ts/Farb en
- EMS number: 3-05
- IMDG Page: 3268
- Packaging group: III

#### Air (ICAO/IATA)

- ICAO/IATA class: 3

#### Inland waterways (ADNR)

- Packing group: III

## 15. REGULATORY INFORMATION

### Labelling:

According to European directives on classification, packaging and labelling of dangerous substances 67/548/ EC. Using the calculation method 88/379/ EC.

EC number: Not applicable.

Symbol(s): Xn - Harmful

### R-phrases(s):

- R : 10  
Flammable.
- R : 65  
Harmful: may cause lung damage if swallowed.

### S-phrases(s):

- S : 51  
Use only in well-ventilated areas.
- S : 62  
If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

## 16. OTHER INFORMATION

### According legislation(s):

This safety data sheet is in compliance with EC directives and adaptations: 2001/58 and 91/155, 67/548, 88/379

### Important remarks:

Information in this safety data sheet is based on actual knowledge in our possession and our experience. It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users.  
No liability will be accepted (except as otherwise provided by law) arising out of the use of information supplied in this data sheet.

### Restrictions:

This information relates to the specific material designated and may not be valid in combination with other product(s).

### History

- First edition date: feb 03
- Version: 2

Written by: Johan Van daele